

## ***Statistical Process Control (SPC) For Use in Monitoring Herd BTSCC***

Modified from Chapter 3, HERD HEALTH by J.K. Reneau and M.L. Kinsel, WD Sanders 2001

Statistical Process Control (SPC) is one of the most powerful tools for process improvement. However, unless SPC is used as a part of a production system where the idea of continuous improvement is embraced it is just another way of representing data in a graph (7). It is important at the onset of this discussion to emphasize this point. Experience has shown that application of SPC without commitment to the continuous improvement concept will not be a very productive or satisfying experience. Although SPC is new to agriculture it is not really new. It has been successfully used in manufacturing businesses for over 60 years.

SPC is a set of several analytical tools of which the control chart is an important one. This discussion will focus only on control charts. Control charts are helpful in signaling that a real change has occurred. The fundamental concept of control charts is to distinguish between inherent random variation and real changes in output, quality, or measured performance. SPC methods can be used to signal emerging problems, evaluate the positive or negative impact of a change in a management practice or the implementation of a new product.

The most common use of dairy herd management data is to compare this month's average with last month's average. Are we doing better or worse? The problem with such limited comparisons is that they are out of context. Context here means that the data should be interpreted in context of the time order in which they were generated. Context also means that the natural variation in the data and its relationship with similar data generated by the process be taken into consideration. Data divorced from its' context can be misleading.

Although several months of tabular data would provide ample context, most people find it difficult to assimilate and provide accurate interpretation. For example consider the relatively simple table of daily bulk tank somatic cell count (BTSCC) data for a Minnesota dairy (Table 1). Looking at the table, we might ask several questions to aid our interpretation:

- How were the data collected and calculated? By whom?
- What is the highest value? The lowest? The average? The median?
- What is the normal, day to day, level of variation?
- What causes the normal variation?
- When is variation abnormal?
- When should we be worried?
- How does this herd compare to other herds?
- Is there potential for improvement? How much?
- Is intervention worth the cost?
- Does this herd currently have a problem as indicated by the BTSCCs?
- Have there been problems in the past?
- Is mastitis management "under control"? How can you tell?
- If mastitis was to go "out of control":
  - ◊ How soon would these data tell you?
  - ◊ How quickly would you react?
  - ◊ What would you do?
  - ◊ How would you measure response?
  - ◊ Would you be confident that your intervention had made a difference?


Obviously study of tabular data is overwhelming, time consuming, and often unproductive.

**Table 1. Bulk tank somatic cell count for a Minnesota dairy.  
(BTSCC x 1000)**

<b>Date</b>	<b>BTSCC</b>	<b>Date</b>	<b>BTSCC</b>	<b>Date</b>	<b>BTSCC</b>
10/1/98	236	11/14/98	235	12/27/98	312
10/2/98	303	11/15/98	265	12/28/98	294
10/3/98	236	11/16/98	238	12/29/98	242
10/4/98	219	11/17/98	212	12/30/98	248
10/5/98	224	11/18/98	239	12/31/98	215
10/6/98	246	11/19/98	267	1/1/99	212
10/7/98	292	11/21/98	229	1/2/99	292
10/8/98	270	11/22/98	272	1/3/99	300
10/9/98	225	11/23/98	219	1/5/99	327
10/10/98	238	11/24/98	257	1/6/99	229
10/11/98	228	11/25/98	279	1/7/99	244
10/13/98	243	11/26/98	205	1/8/99	274
10/15/98	226	11/27/98	218	1/9/99	295
10/16/98	225	11/28/98	235	1/10/99	306
10/17/98	227	11/29/98	281	1/11/99	314
10/18/98	275	11/30/98	272	1/12/99	242
10/19/98	248	12/1/98	256	1/13/99	266
10/20/98	244	12/2/98	269	1/14/99	243
10/21/98	231	12/3/98	227	1/15/99	262
10/22/98	250	12/4/98	258	1/16/99	293
10/23/98	239	12/5/98	261	1/17/99	281
10/24/98	267	12/6/98	250	1/18/99	278
10/25/98	271	12/7/98	230	1/19/99	238
10/26/98	226	12/8/98	266	1/20/99	233
10/27/98	244	12/9/98	262	1/21/99	257
10/28/98	189	12/10/98	219	1/22/99	271
10/29/98	303	12/11/98	271	1/23/99	232
10/30/98	229	12/12/98	266	1/24/99	244
10/31/98	242	12/13/98	220	1/25/99	275
11/1/98	255	12/14/98	243	1/26/99	213
11/2/98	217	12/15/98	180	1/27/99	254
11/3/98	205	12/16/98	213	1/28/99	312
11/4/98	238	12/17/98	221	1/30/99	352
11/5/98	214	12/18/98	276	1/31/99	303
11/6/98	250	12/19/98	268	2/1/99	284
11/7/98	220	12/20/98	334	2/2/99	227
11/8/98	212	12/21/98	303	2/3/99	298
11/9/98	241	12/22/98	323	2/4/99	347
11/10/98	265	12/23/98	329	2/5/99	325
11/11/98	261	12/24/98	285	2/6/99	281
11/12/98	242	12/25/98	241	2/7/99	336
11/13/98	255	12/26/98	275	2/8/99	349

## Time Series Charts

Since we are visually oriented, and tables of data are visually boring, graphs make data more accessible to the human mind. Graphs can remove extraneous detail while providing context for visual interpretation. Management data will usually have a time order. Therefore, a time series chart of data improves interpretation. Consider again the BTSCC data for a Minnesota dairy in a time series chart (Figure 4). Compared to the tabular format, the plotted data provide a much clearer idea of the BTSCC changes and trends over time. We can use our prior knowledge and experience of BTSCC data to form a general impression of udder health of this herd. We can see that this herd's BTSCC is generally too high with possibly a slightly upward shift. However, a simple time series chart doesn't have sufficient resolution for more meaningful interpretation. It is still difficult to identify subtle changes or to know if the BTSCC in this herd is "in control" or "out of control". This is because the inherent random variation (noise) masks real changes. Noise, like static on a car radio, makes listening annoying and difficult to understand. The Shewhart control chart is the simplest method to separate potential signals from probable noise.




## Control Charts

In the 1920's, Dr. Walter Shewhart at Bell Laboratories invented control charts to help interpret data that is generated over time. Control charts provide further insight into data by displaying the level of normal, random variation in the data and by revealing the observations that indicate real change. This approach affords the practical application of statistical theory in a visual, easy to interpret context. The steps to develop a Shewhart control chart are as follows:

1. Start with a time series chart.
2. Add a centerline (mean) for central reference.

3. Add control limits, computed from the data and based on the “normal” variation, equidistant on either side of the centerline.
4. Apply “rules” to distinguish between data points due to “real” change (special cause variation) from data points due to “normal” (common cause variation) variation only.

Sigma (a measure of variation similar to standard deviation) is calculated for the data collected in a time frame called the “control period”. Control limits are set three sigma above and below the central line (mean). Experience has shown that a minimum of 20 data points are needed to calculate credible control limits (3,4,10). When initiating a control chart it is appropriate to use the first 20 data points collected as the control period. Once control charting is established the control period can be set depending on the question being asked. If the intent is to monitor a process for the purpose of maintaining a stable process then using data from an apparently stable period makes sense. If the intent is to use the control chart to evaluate the introduction of a new product or a change in process procedure etc. then the control period should be calculated from data collected just prior to the introduction of the product or change in procedure. The control limits for our example using the BTSCCs were calculated using the October 1998 – December 1998 BTSCC data, since there was no indication of special variation in that period and so the process appeared to be “in control”. Note that the picture becomes more clear than a time series plot but it remains difficult to interpret the data without a formal and standardized approach to distinguish between “normal” variation and variation that deserves more attention.



### ***Interpreting Control Charts Using Tests***

Several rules exist that can help in the correct interpretation of control charts. When a single data point is observed outside one of the control limits, the probability that this point is not a real change (false positive) is only 3 out of 1000. Three other rules are used by the Western Electric Rules for control chart interpretation (4,10). The combined probability that any of the four tests

indicate a “real change” when there is none, is about 20 out of 1000, or 2%. Thus it is generally safe to assume that the process is “out of control” when any one of these tests indicates a change. The four tests are:

- **Rule 1** - A single point outside one of the control limits.
- **Rule 2** – Two of three successive points fall on the same side and more than two sigma away from the central line.
- **Rule 3** – Four out of five successive points on the same side of the line and are more than one sigma away from the central line.
- **Rule 4** – Eight or more successive points on the same side of the central line.

Any time the conditions of any one of these four rules are met you can be certain the process is has changed and is by definition “out of control”. Considering these rules as new data becomes available ensures timely signaling of real changes. Using these four rules let’s again consider the control chart of BTSCC data (Figure 5).

Rule 3 indicates that starting on December 18th, there it is clear and significant upward shift in the level of BTSCC. The process is “out of control”. There is no need to vacillate since you can be 98% certain that the shift is “real” and it is not just normal variation. Since data should be interpreted in their context, these observations may or may not be a surprise to the dairy manager. For example, in this case the distractions of the Christmas Holiday may have disrupted normal herd management. If this were the case, this may well explain the shift in BTSCC level. The control chart then confirms our expectation about the BTSCC level. However, if no explanation can be readily given, then investigating the probable causes of the shift in BTSCC is well worth the effort and cost. There are two basic questions regarding a breakdown in the process:


- Is this a personnel management issue? (i.e., protocols not being followed)
- Is there some flaw in the process itself? (i.e., breakdown in equipment or an inadequate protocol)

For example, maybe the new employee does not do a good job scraping the stalls or the replacement bedding material is contaminated. Control charts provide a means for early detection of “real” changes enabling the opportunity to nip the problem in the bud. In this particular case there was no action taken. As one can see the consequences resulted in further process entropy and obvious deterioration of those processes contributing to BTSCC level.

Control charts also offer a means to evaluate efforts towards continuous process improvement. Figure 6 is a control chart of a large Wisconsin dairy that has kept their herd bulk tank count less than 200,000 for 20 years. During the period between January 1, 1999 through mid February the BTSCC was averaging 140,000 and was “in control”. However, the herd manager felt that the herd BTSCC should be 100,000 or less, as had been the case during previous years. During the March 21, 1999 meeting with the milking parlor staff there was a consensus reached:

- that more attention be placed on pre-milking teat end sanitation, and
- that cows with extremely high SCC quarters would be identified with a leg band so that the high SCC quarters could be milked into a quarter bucket.

The plan was implemented immediately. Did the program work? Study of Figure 6 clearly indicates a dramatic and significant decline in herd BTSCC. Western Electric rule # 3 indicated that by March 27<sup>th</sup> the herd manager knew with 98% certainty that the plan was working and could use the chart as positive feedback to the parlor crew to reinforce their dedicated effort.



Control charts are commonplace in the manufacturing and service industries. They have great potential for improved decision-making in dairy management. Monitoring BTSCC with a Shewhart control chart is a good example of a valid application. Plotting of frequently collected individual data in a control chart (i.e., daily feed intakes, daily milk weights, milk components including MUN) is the simplest of SPC techniques. There is still much research work to be done in confirming which variables are appropriate for SPC applications. Generally data suitable for SPC application is:

- Data that is easy and practical to collect.
- Data that is collected on a frequent basis (daily, weekly) is preferable.
- Data of economic significance.
- Data that as directly as is possible reflects process behavior.

Although SPC and the use of control charts are useful monitoring tools, there are pitfalls. The greatest pitfall is initiating SPC techniques without the right mindset. If these techniques are attempted where management is not willing to embrace the philosophy of continuous improvement they will inevitably fail to produce anticipated results. Another pitfall is improper calculations of control limits, as was previous mentioned resulting in too many false signals. However, these techniques are robust and when used appropriately are very effective herd monitors. It is expected that SPC will play a major role in dairy monitoring in the future.

## References

1. Kelly, DL 1999. How to use Control Charts for Healthcare. ASQ Quality Press, Milwaukee, WI.
2. Metra, A. 1998. Fundamentals of Quality Control and Improvement, 2<sup>nd</sup> Edition, Prentice Hall, Upper Saddle Rive, New Jersey.
3. Polson D, Baum D, Holck TJ: Management of livestock systems need to be based on continuous improvement. Feedstuffs. 1999 May 17: 1,39-41,58.
4. Reneau, JK and Kinsel, ML, 2000 Record Systems and Herd Monitoring in Production-Oriented Health Management Programs. p 107-141, Herd Health 3<sup>d</sup> Edition, WB Saunders, Philadelphia.
5. Wheeler, D.J., and D.S. Chambers. 1992. *Understanding Statistical Process Control*. 2<sup>nd</sup> Ed., SPC Press, Knoxville, TN. p. 12-20.